STAHLWILLE®



Sockets 3/8", metric

45

Product no.	**02010011**
GTIN	**4018754001941**
Model	**45 11**

Label. 3/8 " Socket Size 11mm L.27mm


Properties.

- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / ASME B 107.5M / DIN EN 3709

Technologies and features.

High Performance Quality (HPQ®)
Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	11 mm
Square drive inner (inch)	3/8 "
Length mm (L)	27 mm
Drive profile	bi-hex AS-Drive
d1	15,6 mm
d2	16,5 mm
d3	10 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709
Alloy	HPQ® high performance steel
t1	8,5 mm
t2	13,7 mm

Logistics data.

Product no.	02010011
GTIN	4018754001941
Weight (g)	21 g
Volume (packaged, dm3)	0.7525 dm3
Packing standard	100
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	24
Width mm (IFS)	17
Height mm (IFS)	17
Weight (gross, kg)	2,100
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	86
Width (packaged, mm)	35
Height (packaging, mm)	250

GTIN.

4 018754 001941

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal