STAHLWILLE



# Combination spanner sets OPEN BOX, metric

## OPEN BOX 13

| | |
|---|---|
| Product no. | **96400816** |
| GTIN | **4018754122905** |
| Model | **OPEN BOX 13/16** |



**Label.** Combination spanner set OPEN BOX 13/16 7-24 16 pcs.

**Properties.**

- **metric, identical** end sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A


## Benefits.

Made in Germany - Combination spanner set in cardboard packaging, 16 pcs.-pcs., 7-24 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A, Chrome Alloy Steel, chrom plated.

## Product highlights.




**Non-slip surface**
STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.




**A solution for every situation.**
Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

## Technologies and features.



**Double-T profile**
Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.




**Thin-walled rings**
The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



**Offset Shaft Design**
Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical drawing.



## Technical attributes.

| | |
|---|---|
| **Contents** | 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm |
| **Model No.** | 13/16 |
| **Jaw angle** | 15 ° |
| **Range** | 7-24 |
| **DIN** | DIN 3113 Form A / ISO 7738 Form A |
| **Alloy** | Chrome Alloy Steel, chrom plated |
| **Surface** | chrome-plated |
| **Number of tools** | 16 pcs. |

## Logistics data.

| | |
|---|---|
| **Product no.** | 96400816 |
| **GTIN** | 4018754122905 |
| **Weight (g)** | 1620 g |
| **Volume (packaged, dm3)** | 1.232 dm3 |
| **Packing standard** | 1 |
| **WEEE/ElektroG** | nicht ear-pflichtig |
| **Customs tariff no.** | 82041100 |
| **Country of origin AWR** | GERMANY |
| **Region of origin** | Nordrhein-Westfalen |
| **Packaging** | in cardboard packaging |
| **Depth mm (IFS)** | 280 |
| **Width mm (IFS)** | 100 |
| **Height mm (IFS)** | 44 |
| **Weight (gross, kg)** | 1,630 |
| **Weight PAP (kg)** | 0,066 |
| **Weight PVC (kg)** | 0,000 |
| **Length (packaged, mm)** | 280 |
| **Width (packaged, mm)** | 100 |
| **Height (packaging, mm)** | 44 |

## Parts list.



40080707
Combination spanner



40080808
Combination spanner



40080909
Combination spanner



40081010
Combination spanner



40081111
Combination spanner



40081212
Combination spanner



40081313
Combination spanner



40081414
Combination spanner



40081515
Combination spanner



40081616
Combination spanner



40081717
Combination spanner



40081818
Combination spanner



40081919
Combination spanner



40082121
Combination spanner



40082222
Combination spanner



40082424
Combination spanner

## GTIN.

4 018754 122905

## Images.
















**STAHLWILLE Eduard Wille GmbH**
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal